



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/088,988

07/31/2002

Xiaoning Nie

1406/52

9022

25297 7590 08/29/2007
JENKINS, WILSON, TAYLOR & HUNT, P. A.
SUITE 1200, UNIVERSITY TOWER
3100 TOWER BOULEVARD
DURHAM, NC 27707

EXAMINER

HUISMAN, DAVID J

ART UNIT

PAPER NUMBER

2183

MAIL DATE

DELIVERY MODE

08/29/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/088,988	NIE, XIAONING	
	Examiner	Art Unit	
	David J. Huisman	2183	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 June 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 July 2002 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1 and 3 have been examined.

Papers Submitted

2. It is hereby acknowledged that the following papers have been received and placed of record in the file: RCE and Extension of Time as received on 6/18/2007.

Drawings

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the method of claim 1 must be shown or the feature(s) canceled from the claim(s). It is asked that applicant simply generate a flowchart explaining the operation of the claimed branch instruction. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an

Art Unit: 2183

application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

4. Claim 1 is objected to because of the following informalities:
 - In step (b), line 1, please replace "and execution of the" with --and executing the-- to make the execution step consistent with the other steps.
 - In step (c), line 2, replace "no-jump" with --no jump--.
5. Claim 3 is objected to because of the following informalities:
 - In step (b), the final three lines are grammatically incorrect and should be reworded. Specifically, the phrase "if positive..." seems out of place.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kadosumi et al., U.S. Patent No. 5,870,620 (as applied in the previous Office Action and herein referred to

Art Unit: 2183

as Kadosumi) in view of Intel, "IA-64 Application Developer's Guide," 1999 (herein referred to as Intel).

8. Referring to claim 1, Kadosumi has taught a method for processing conditional jump instructions in a processor with pipeline computer architecture, the method comprising:

a) loading and decoding a processor instruction, the processor instruction containing an instruction opcode and a post-condition, which specifies that a conditional jump is to be processed. See Fig.9, and note the ADD_SW2 instruction. The examiner deems the loading and decoding of this instruction to be inherent as each instruction must be loaded and decoded before execution. Furthermore, each instruction inherently includes an opcode because the opcode specifies the operation to be performed. For instance, ADD_SW2 has a bit pattern in its encoding which specifies to the system that it is an ADD_SW2 instruction. Finally, the instruction includes a post-condition as claimed because, when this instruction bit pattern is encountered, it tells the system that a conditional jump is to be processed, as seen in Fig.9 and column 13, lines 48-57.

b) Kadosumi has not explicitly taught that the processor instruction contains register addresses, and a relative jump distance. However, Official Notice is taken that it is well known and accepted in the art that ADD instructions specify two registers to be added and that branch instructions include relative jump distances. Clearly, if one is adding two numbers, which is the case in Fig.9 with the ADD_SW2 instruction, two operands must be specified. A third register specified could be a destination register. By specifying register values instead of immediate values, one could save on the amount of bits used to encode the instruction. That is, instead of encoding the entire value to be added, one merely needs to encode the register that the value is

Art Unit: 2183

held in, and there are much fewer registers than possible values. Furthermore, since the ADD_SW2 is also a conditional branch instruction, a jump address must be specified. Relative addresses are known in the art as being advantageous because the entire jump address does not need to be encoded in the instruction. Instead, only the offset needs to be encoded and eventually added to the program counter, and the offset requires much fewer bits. As a result, in order to achieve the disclosed functionality of the ADD_SW2 instruction and to minimize the number of bits required to encode the instruction, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Kadosumi such that the processor instruction includes register addresses and a relative jump address.

c) Kadosumi has not taught a precondition, which specifies under which conditions the instruction is actually to be executed. However, Intel has taught the use of a predicates as preconditions. See pages 3-4 and 4-7. That is, all but a select few instructions in Intel's architecture contain a precondition (a predicate), which allows for conditional execution of that instruction. When the predicate is set, the instruction will execute, and when it's not set, the instruction will not execute. See page 7-3 and note that ADD instructions are even predicated. A predicate allows for greater control and flexibility of instruction execution. All instructions can be conditionally executed depending on the state of the system. As a result, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Kadosumi to include a precondition as taught by Intel.

d) Kadosumi has not explicitly taught that the post-condition specifies that the corresponding flag bits of an arithmetic-logic unit are to be checked, wherein the post-condition comprises a plurality of post-condition bits that are checked in the processor. However, first note that the

Art Unit: 2183

ADD instruction of Fig.9 produces a result whose value must be checked in order to determine branching. Specifically, the result is checked to see if it is zero or more, or less than zero.

Official Notice is taken that arithmetic status flags are well known and accepted in the art. Such flags are set after every arithmetic operation and indicate overflow, zero, negative, interrupt, and sometimes more statuses. So, in order to check if a result is zero or more, or less than zero, this can be done a number of ways with arithmetic flags. The system can first check the Z (zero) flag, and if set, then the system would branch or fall through to code block ND2 (in Fig.9) because the result is zero. If the Z flag is not set, then the system could check the N (negative flag) to determine if the result is negative. If set, then the system would branch or fall through to code block ND3 because the number is negative; otherwise it would branch or fall through to code block ND2 because it is positive. As a result, because the system needs to check the value of the result in order to determine branching in Fig.9, and arithmetic flags facilitate such checking, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Kadosumi such that the post-condition specifies that the corresponding flag bits of an arithmetic-logic unit are to be checked, wherein the post-condition comprises a plurality of post-condition bits that are checked in the processor.

e) Kadosumi, as modified by Intel, has further taught checking the precondition, and execution of the decoded processor instruction if the precondition is fulfilled. Again, recall that predicates allow for conditional execution of instructions. So, if the predicate associated with ADD_SW2 is set (i.e., the precondition is fulfilled), then the instruction will be executed.

f) Kadosumi, as modified by Intel, has further taught that in the case of a fulfilled precondition, checking the post-condition, and carrying out no-jump if the post-condition is not fulfilled, and

Art Unit: 2183

checking the corresponding flag bits, if the post-condition is fulfilled. See Fig.9(a) of Kadosumi and note that after the precondition is fulfilled (i.e., after it is determined that the ADD_SW2 predicate is set and, consequently, that the ADD_SW2 instruction is to actually execute), a post-condition is checked. Clearly, not all instructions require the checking of arithmetic flags (for instance, a NOP or an increment instruction would not require checking flags), and therefore the bit pattern of the ADD_SW2 instruction acts as a post-condition which results in the system processing a conditional branch and checking flags to perform said branch. This bit pattern is the post-condition.

g) Kadosumi, as modified by Intel, has further taught jumping to a jump address as a function of the relative jump distance contained in the processor instruction if the post-condition is fulfilled and the checked flag bits are set. If the flags are set in the appropriate manner, then jumping to the appropriate code block will occur in Fig.9. Also, recall that it would have been obvious to include a relative jump address in the instruction because it requires less bits and can be added to the program counter to obtain the full jump address.

9. Referring to claim 3, the apparatus of claim 3 performs the method of claim 1.

Consequently, claim 3 is rejected for the same reasons set forth in the rejection of claim 1.

Response to Arguments

10. Applicant's arguments with respect to Auslander and Mahlke have been considered but are moot in view of the new ground(s) of rejection.

11. Regarding applicant's issue with Kadosumi on pages 6-7 of the remarks, applicant argues that, in Kadosumi, two steps have to be done sequentially (first the addition, and then the

Art Unit: 2183

branching), whereas, in applicant's invention, the post-condition is part of the processor instruction (hence, there is just one step). Applicant also argues that the post-condition can be realized by at least one bit.

12. However, applicant's claims do not require a single-step instruction. Furthermore, the post-condition is build into the instruction itself. The post-condition are the bits which tell the system that a branch must occur based on status bits. So, the post-condition is fulfilled when such an instruction is encountered. Finally, applicant does not claim at least one bit. Applicant claims multiple bits.

Conclusion

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Applicant is reminded that in amending in response to a rejection of claims, the patentable novelty must be clearly shown in view of the state of the art disclosed by the references cited and the objections made. Applicant must also show how the amendments avoid such references and objections. See 37 CFR § 1.111(c).

Murakami et al., U.S. Patent No. 5,045,993, has taught a conditional multipoint branch instruction which is based on prioritized conditions ("precondition" and "post-condition"). See Fig.36.

Intel, "IA-64 Application Developer's Guide," 1999, has taught a specific type of branch instruction (br.stop and br.wexit) which is not only dependent on a predicate (precondition) but also on the value of an EC (epilog count) register (post-condition). Together, these items determine branching.


Art Unit: 2183

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David J. Huisman whose telephone number is (571) 272-4168. The examiner can normally be reached on Monday-Friday (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DJH
David J. Huisman
July 30, 2007

A handwritten signature in black ink, appearing to read "David J. Huisman", written in a cursive style.